



SABER® PRIMARY CLEANER

- ✓ Simple Installation
- ✓ Low Maintenance
- ✓ Fast Delivery
- ✓ Heavy-Duty



Single-piece polyurethane blade is unforgiving to harmful carryback, but equally gentle on mechanical splices.



Heavy-duty frame and support tubes.

The Twister Tensioner® maintains peak blade pressure without constant manual re-tensioning.



- Patented *Twister Tensioner*® maintains consistent blade-to-belt pressure and its core is GUARANTEED FOR LIFE!
- Compact mounting dimensions (only 4 1/2") for all conveyors.
- Reduces costs associated with conveyor wear-and-tear and spillage cleanup.
- Curved blade aggressively attacks stubborn carryback and is safe for mechanical splices.
- No need for constant re-tensioning.
- Multiple blade options include high temperature, high moisture, and food grade.



WHO IS ARCH ENVIRONMENTAL?

Manufacturer and worldwide distributor of preferred bulk conveyor components since 1975.



800.553.4567 www.archenv.com


MECHANICAL DIVISION

Belt Cleaners • Belt Alignment • Sealing Systems
Dust Control Systems • Impact/Slider Systems

ELECTRICAL DIVISION

Belt Scales • Metal Detectors • Pull Cord Switches
Belt Protection Devices • Conveyor Control Systems


SABER® PRIMARY CLEANER



NOTE: IF LONGER SPAN IS REQUIRED, A LONGER MAINFRAME WILL BE REQUIRED. (CONSULT FACTORY FOR DETAILS)

Standard Blades (RED)	Temp Range: 180-220F
High-Moisture Blades (GRAY)	Temp Range: 180-220 F, 15%+ Moisture Content
Ceramic Blades (BLUE)	High Friction/High Speed, 750+ ft/min.
High-Temperature / Chemical Blades (GREEN)	Chemical Resistance, Temp Range: Up to 300F
High-Wear / Frac Sand Blades (BLACK)	High Friction/High Speed, Up to 300F
Non-Pigment Blade (NATURAL)	Same as Standard Red Blades. Ideal for color sensitive materials.
Food Grade (WHITE)	FDA approved for mild contact with food products.

(This chart shows most popular Arch Blade Compounds, please note not all compounds may be appropriate for every cleaner model, please contact factory with any questions regarding compound compatibility.)



Covered under one or more of the following patents:
 4,202,437;4,231,471;4,436,446;4,489,823;4,533,036;4,779,716;4,877,125;
 4,989,727;5,149,305;5,222,588;5,222,589;5,219,063;5,350,053;5,725,083
 other patents pending



Note: If available, prices vary with options.