



SUPER SABER® PRIMARY CLEANER

- ✓ Simple Installation
- ✓ Low Maintenance
- ✓ Fast Delivery
- ✓ Heavy-Duty

ENORMOUS polyurethane blade segments make the Super Saber the most rugged cleaner on the market.



Heavy-duty steel frame is the backbone of the Super Saber and will not bend or buckle under most circumstances.



Working as a team, dual Twister Tensioners hold this massive blade to the belt.

NO ADDITIONAL ADJUSTMENTS NEEDED!



- Patented *Twister Tensioner*® maintains consistent blade-to-belt pressure and its core is GUARANTEED FOR LIFE!
- Heavy-duty frame with interlocking mainframe and support tubes with multiple set-screw locking collars.
- Enormous curved, segmented blade are the toughest on the market and easily withstand multiple belt splices.
- Increases life of belts and idlers by eliminating harmful carryback.
- Available for up to 120" belts.



WHO IS ARCH ENVIRONMENTAL?

Manufacturer and worldwide distributor of preferred bulk conveyor components since 1975.



800.553.4567 www.archenv.com


MECHANICAL DIVISION

Belt Cleaners • Belt Alignment • Sealing Systems
Dust Control Systems • Impact/Slider Systems

ELECTRICAL DIVISION

Belt Scales • Metal Detectors • Pull Cord Switches
Belt Protection Devices • Conveyor Control Systems


SUPER SABER® PRIMARY CLEANER



NOTE: IF LONGER SPAN IS REQUIRED, A LONGER MAINFRAME WILL BE REQUIRED. (CONSULT FACTORY FOR DETAILS)

Standard Blades (RED)	Temp Range: 180-220F
High-Moisture Blades (GRAY)	Temp Range: 180-220 F, 15%+ Moisture Content
Ceramic Blades (BLUE)	High Friction/High Speed, 750+ ft/min.
High-Temperature / Chemical Blades (GREEN)	Chemical Resistance, Temp Range: Up to 300F
High-Wear / Frac Sand Blades (BLACK)	High Friction/High Speed, Up to 300F
Non-Pigment Blade (NATURAL)	Same as Standard Red Blades. Ideal for color sensitive materials.
Food Grade (WHITE)	FDA approved for mild contact with food products.

(This chart shows most popular Arch Blade Compounds, please note not all compounds may be appropriate for every cleaner model, please contact factory with any questions regarding compound compatibility.)



Covered under one or more of the following patents:
4,202,437;4,231,471;4,436,446;4,489,823;4,533,036;4,779,716;4,877,125;
4,989,727;5,149,305;5,222,588;5,222,589;5,219,063;5,350,053;5,725,083
other patents pending



Note: If available, prices vary with options.